


TPMS READY!



Drive safely with us!



Collection	Model	Size	SCHRADER EZ sensor clamp-in fixed 10 deg	SCHRADER EZ sensor Snap-in	ALLIGATOR RS3 SENS IT Clamp-in	TECH T-Pro Sensor Clamp-in	TECH T-Pro Sensor Snap-in	CUB Uni-Sensor Clamp-in	CUB Uni-Sensor Snap-in	SCHRADER Sel Gen Gamma Clamp-in	SCHRADER Sel Gen Alpha 2 C9 8 clamp-in	SCHRADER SEL Gen Alpha 2 WALT clamp-in	SCHRADER GEN4 - GEN4/5	SCHRADER Sel Gen2/3 clamp-in conical seal fixed 20deg 3.3 c	SCHRADER Sel Gen2/3 HSG clamp-in small grommet fixed 20 deg	CONTINENTAL/VDO TG1 C	CONTINENTAL/VDO TG1 B	HUF/BERU G2.4 - RDV021 L=43	HUF/BERU G1.2 - RDV021 L=43	TRW LCCI	TRW GENIII	PACIFIC Design "A"	PACIFIC Design "B"	LEAR Snap-in GEN.3 Fixed Valve
			AFM	AFM	AFM	AFM	AFM	AFM	AFM	AFM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM
OZ Racing	DAVID	73x16 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓
	QUARANTA	73x16 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓
	SUPERTURISMO GT	63x14 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✓	✗	✗
	SUPERTURISMO GT	6½x15 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✗	✓	✓	✗	✗	✗	✗	✓
	SUPERTURISMO GT	73x16 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✓	✗	✓
	SUPERTURISMO WRC	63x14 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✓	✗	✗
	SUPERTURISMO WRC	6½x15 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✗	✗	✓
	SUPERTURISMO WRC	73x16 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✗	✗	✓	✓	✗	✗	✓	✗	✓
ULTRALEGGERA	73x15 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
X-Line	ADRENALINA	6½x15 H2	✓	✗	✓	●	●	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ADRENALINA	73x16 H2	✓	✗	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ADRENALINA	7½x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ADRENALINA	73x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ADRENALINA	83x17 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ADRENALINA	83x18 H2	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	6½x15 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	7½x16 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	73x17 H2	✓	✓	✓	●	●	✓	✗	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	7½x17 H2	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	83x18 H2	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	8½x19 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	EGO	9½x19 EH2+	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENERGY	7½x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ENERGY	83x17 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENERGY	83x18 H2	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	73x15 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	7½x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	73x17 H2	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	7½x17 H2	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	ENVY	83x18 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 10	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 10	7½x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 10	83x18 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 8	63x14 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	LOUNGE 8	6½x15 H2	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 8	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	LOUNGE 8	73x17 H2	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	SAHARA 5	83x17 H2	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	WAVE	73x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	WAVE	7½x17 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	WAVE	83x18 H2	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
X2	5½x15 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
X2	6½x15 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
X5B	73x16 H2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
X5B	7½x17 H2	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	

● Under check. Please download next document release.

Details correct at time of publishing. Specifications may be subject to variation due to technical changes made by vehicle manufacturers.

Collection	Model	Size	SCHRADER EZ sensor clamp-in fixed 10 deg	SCHRADER EZ sensor Snap-in	ALLIGATOR RS3 SENS IT Clamp-in	TECH T-Pro Sensor Clamp-in	TECH T-Pro Sensor Snap-in	CUB Uni-Sensor Clamp-in	CUB Uni-Sensor Snap-in	SCHRADER Sel Gen Gamma Clamp-in	SCHRADER Sel Gen Alpha 2 C9.8 clamp-in	SCHRADER SEL Gen Alpha 2 WALT clamp-in	SCHRADER GEN4 - GEN4/5	SCHRADER Sel Gen2/3 clamp-in conical seal fixed 20deg 3.3 c	SCHRADER Sel Gen2/3 HSG clamp-in small grommet fixed 20 deg	CONTINENTAL/VDO TG1 C	CONTINENTAL/VDO TG1 B	HUF/BERU G2.4 - RDV021 L=43	HUF/BERU G1.2 - RDV021 L=43	TRW LCCI	TRW GENIII	PACIFIC Design "A"	PACIFIC Design "B"	LEAR Snap-in GEN.3 Fixed Valve
			AFM	AFM	AFM	AFM	AFM	AFM	AFM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM
MSW	CROSS OVER	7Jx16 H2	✓	✓	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CROSS OVER	7½Jx17 H2	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	CROSS OVER	8Jx18 H2	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓
	MSW 11	7Jx15 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 11	7Jx16 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 11	8Jx17 H2	✓	✗	✓	●	●	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 20-4	6Jx14 H2	✗	✗	✗	●	●	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 20-4	7Jx15 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 20-4	7Jx16 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✗	✓	✓	✓	✓	✓	✗
	MSW 20-4	7Jx17 H2	✓	✗	✓	●	●	✓	✗	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 20-5	7Jx16 H2	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 20-5	8Jx17 H2	✓	✗	✓	●	●	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 20-5	8Jx18 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 20-5	8Jx19 H2	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 23	6½Jx15 H2	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 23	7Jx16 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 23	7Jx17 H2	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 23	7½Jx17 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 23	8Jx18 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 24	6½Jx15 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 24	7Jx16 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 24	7½Jx16 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 24	7Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 24	8Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 24	8Jx18 H2	✗	✗	✓	●	●	✓	✓	✗	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 24	8Jx19 EH2+	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 24	9Jx19 EH2+	✓	✓	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 25	6Jx15 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 25	7Jx16 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 25	7Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 25	8Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 25	8Jx18 H2	✗	✗	✓	●	●	✓	✓	✗	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 25	9Jx18 EH2+	✗	✗	✓	●	●	✓	✓	✗	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 26	7Jx16 H2	✓	✗	✓	●	●	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 26	7½Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 26	8Jx18 H2	✗	✗	✓	●	●	✓	✓	✗	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 45	8Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 45	8Jx18 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 46	7½Jx17 H2	✓	✓	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 14 W	6Jx14 FH2	✓	✗	✓	●	●	✓	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
MSW 14 W	6½Jx15 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
MSW 14 W	8Jx17 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓	
MSW 19 W	6Jx14 H2	✓	✗	✓	●	●	✓	✓	●	✓	✗	✓	✓	✗	✗	✓	✓	✗	✗	✓	✓	✓	✗	
MSW 19 W	5½Jx15 H2	✓	✗	✓	●	●	✓	✓	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
MSW 19 W	6½Jx15 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	
MSW 19 W	6½Jx16 H2	✓	✓	✗	●	●	✓	✓	●	✓	✗	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓	

● Under check. Please download next document release.

Details correct at time of publishing. Specifications may be subject to variation due to technical changes made by vehicle manufacturers.

Collection	Model	Size	SCHRADER EZ sensor clamp-in fixed 10 deg	SCHRADER EZ sensor Snap-in	ALLIGATOR RS3 SENS IT Clamp-in	TECH T-Pro Sensor Clamp-in	TECH T-Pro Sensor Snap-in	CUB Uni-Sensor Clamp-in	CUB Uni-Sensor Snap-in	SCHRADER Sel Gen Gamma Clamp-in	SCHRADER Sel Gen Alpha 2 C9.8 clamp-in	SCHRADER SEL Gen Alpha 2 WALLI clamp-in	SCHRADER GEN4 - GEN4/5	SCHRADER Sel Gen2/3 clamp-in conical seal fixed 20deg 3.3 c	SCHRADER Sel Gen2/3 HSG clamp-in small grommet fixed 20 deg	CONTINENTAL/VDO TG1 C	CONTINENTAL/VDO TG1 B	HUF/BERU G2.4 - RDV021 L=43	HUF/BERU G1.2 - RDV021 L=43	TRW LCCI	TRW GENIII	PACIFIC Design "A"	PACIFIC Design "B"	LEAR Snap-in GEN.3 Fixed Valve
			AFM	AFM	AFM	AFM	AFM	AFM	AFM	AFM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM	OEM
MSW	MSW 19 W	73x16 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 19 W	7½x16 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 19 W	6½x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 19 W	73x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 19 W	83x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 19 W	83x18 H2	✓	✗	✓	✗	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✗	✓	✓
	MSW 22	5½x14 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 22	63x14 H2	✗	✗	✗	●	●	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗
	MSW 22	63x15 H2	✓	✓	✓	●	●	●	●	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✓	✗	✓
	MSW 22	6½x16 H2	✓	✓	✗	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓
	MSW 22	83x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✗	✗	✓
	MSW 77	53x14 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	MSW 77	63x15 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✓	✗	✓	✗	✗	✗	✗	✓
	MSW 77	73x16 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✗	✓
	MSW 77	7½x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✗	✗	✗	✗	✓
	MSW 85	63x14 H2	✓	✗	✓	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✗	✗	✓	✗	✗	✓	✗	✗
	MSW 85	63x15 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✗
	MSW 85	6½x16 H2	✓	✗	✓	●	●	●	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	MSW 85	7½x16 H2	✓	✓	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✗	✗
	MSW 85	73x17 H2	✓	✓	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✗	✗
SPARCO	ASSETTO GARA	6½x15 H2	✓	✗	✓	●	●	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ASSETTO GARA	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ASSETTO GARA	73x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ASSETTO GARA	7½x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	ASSETTO GARA	7½x18 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	ASSETTO GARA	83x18 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	RTT	63x15 H2	✓	✓	✓	●	●	●	●	✓	✗	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓
	RTT	6½x16 H2	✓	✓	✗	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗	✓
	RTT	73x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	RTT	83x17 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✗	✓
	RTT	83x18 H2	✓	✗	✓	●	●	●	●	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	RTT 524	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	RTT 524	83x17 H2	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	SPARCO DRIFT	6½x15 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO DRIFT	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO DRIFT	73x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO DRIFT	83x17 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PISTA	63x14 H2	✓	✗	✓	●	●	●	●	✓	✓	✗	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PISTA	6½x15 H2	✓	✗	✓	●	●	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PISTA	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PISTA	73x17 H2	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PISTA	83x17 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✗
	SPARCO PRO CORSA	7½x17 H2	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
	SPARCO PRO CORSA	83x18 EH2+	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓
	SPARCO PRO CORSA	93x18 EH2+	✓	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓
	SPARCO TARMAC	73x17 H2	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	SPARCO TARMAC	83x17 EH2+	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	SPARCO TERRA	73x16 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✗	✓	✓
SPARCO TERRA	7½x17 H2	✓	✗	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓	

● Under check. Please download next document release.

Details correct at time of publishing. Specifications may be subject to variation due to technical changes made by vehicle manufacturers.



OZ SpA

via Monte Bianco, 10
35018 S.Martino di Lupari (PD) - Italy
tel. +39 049 9423001
fax +39 049 9469176
info@ozracing.com
www.ozracing.com

OZ Group

OZ Deutschland GmbH

ASPACHSTRASSE 2
D 88400 BIBERACH
GERMANY
Tel: +49 (0)7351 574-37
Fax: +49 (0)7351 57426
info@oz-racing.de
www.oz-racing.de

OZ Racing UK Ltd

7th Floor,
52-54 Gracechurch Street
London EC3V 0EH
Tel: +44 845 437 9905
Fax: +44 845 437 9906
info@ozracing.co.uk
www.ozracing.co.uk

OZ Japan Ltd

2-35-20 SATO, NAKA-KU
HAMAMATSU-SHI
SHIZUOKA-KEN, 430-0807
JAPAN
Tel: +81 3 53 469 5011
Fax: +81 3 53 469 5012
www.oz-japan.com
msw-wheel.jp

J.A. Rally

UDSTYRSCENTRET APS
GLASMAGERVEJ, 11 - FENSMARK
HOLMEGAARD 4684
DENMARK
Tel: 004555545020
Fax: 004555545446

OZ Asia PTE Ltd

2 Pandan Road
SINGAPORE
info@ozracing.com
www.ozracing.com